




dripline



fittings



manifolds



ENKi FastFit Manifold

The ENKi FastFit Manifold is a strong, versatile and easy-to-use system for irrigation installations. The large range of fittings allows for an endless number of configurations.

BENEFITS

Fast to install

This professional clip system doesn't require any tools or glue. Can be pressurised immediately. No need to wait.

Safe and secure

The special O-ring design prevents over-tightening and breaking of the solenoid valve while eliminating leaks.

Highly versatile

The union fittings allow for easy removal of valves without disassembling the manifold. Easily add extra valves later.

Very strong

Made from virgin engineered plastics for strength.

How it works.

ENKi FastFit Manifold Fittings are assembled by inserting the coupling between two fittings, pressing the fitting together and sliding the locking clips over the lugs. Each join requires two clips and a coupling, except the inlet and the end cap which have built-in couplings.

TECHNICAL INFORMATION


- Maximum operating pressure 1400kPA
- Tested to 1600kPA
- UV resistant

INSTALLATION INFORMATION

- Position out of direct sunlight
- Manifold must be installed on flat surface with weight supported evenly
- Use mounting plate when mounting on a wall



Underground Example





Code	Description	Size
1542920	ENKi FastFit Manifold Union Tee	25mm



Code	Description	Size
1542924	ENKi FastFit Manifold End Cap	25mm



Code	Description	Size
1542921	ENKi FastFit Manifold Union Cross	25mm



Code	Description	Size
1542925	ENKi FastFit Manifold Coupling	25mm



Code	Description	Size
1542922	ENKi FastFit Manifold Union Elbow	25mm



Code	Description	Size
1542929	ENKi FastFit Manifold Union Valve Adaptor	25mm



Code	Description	Size
1542928	ENKi FastFit Manifold Nipple	25mm



Code	Description
1542926	ENKi FastFit Manifold Plain Clip




Code	Description	Size
1542923	ENKi FastFit Manifold Inlet	25mm



Code	Description
1542927	ENKi FastFit Manifold Wall Mount Clip

Wall Mounted Example



ENKi Dripline

ENKi 13mm Dripline is a tough and versatile product manufactured from high-grade, UV stable low-density polyethylene.

Features a large flow path, reducing the possibility of clogging. Available in 50 & 200 metre coils, ENKi Dripline is perfect for all landscape and turf irrigation situations. Available in pressure compensated as standard, ENKi can be used over long distances as well as on recycled water applications.

FEATURES

- 2 litres per hour
- Large 13mm flow path – less likely to clog
- 50 and 200 metre coils
- Pressure compensated and Anti Siphon
- 30cm and 40cm spacing available
- Compatible with all standard 13mm micro fittings



ENKi Dripline Brown

Code	Description	Size
1542487	ENKi Dripline Brown	30cm x 50m
1542488	ENKi Dripline Brown	30cm x 200m
1542498	ENKi Dripline Brown	40cm x 50m
1542499	ENKi Dripline Brown	40cm x 200m

ENKi Dripline Purple

Code	Description	Size
1521501	ENKi Dripline Purple	30cm x 50m
1521502	ENKi Dripline Purple	30cm x 200m
1521503	ENKi Dripline Purple	40cm x 50m
1521504	ENKi Dripline Purple	40cm x 200m

Flow Rate LPH	Emitter Spacing (m)	75kPa	100kPa	150kPa	200kPa	250kPa
2.0L/Hr	0.3	49	62	78	90	100
2.0L/Hr	0.4	62	79	100	116	128

Internal Diameter	Outside Diameter	Wall Thickness	Pressure Range
12.9mm	15.3mm	1.2mm	4-35m

- Manufactured from UV-Stabilized low-density polyethylene
- Operating pressure: 40–350kPa
- Compatible with all standard 13mm micro fittings
- Pressure compensated and Anti Siphon * Maximum run length of single lateral on flat ground (based on 5m residual pressure at the end of the lateral)

ENKi Micro Irrigation Fittings

Designed to suit standard low pressure poly tube, this range of fittings is available in 13mm, 19mm and 25mm providing flexibility in system design.

FEATURES

- A range of virgin polypropylene fittings that offers enhanced resistance against chemicals
- Designed to suit standard low pressure poly tube
- Sharp tapered barb on all fittings for easy installation
- Smooth edge lock-tight ratchet clamps
- Operating pressure rating to 300kPa



Barb Joiners

Code	Description	Size
1542828	ENKi Micro Joiner	13mm
1542829	ENKi Micro Joiner	19mm
1542861	ENKi Micro Joiner	25mm



Reducing Joiners

Code	Description	Size
1542863	ENKi Micro Reducing Joiner	19mm x 13mm
1542864	ENKi Micro Reducing Joiner	25mm x 13mm
1542865	ENKi Micro Reducing Joiner	25mm x 19mm



Barb Tees

Code	Description	Size
1542825	ENKi Micro Tee	13mm
1542826	ENKi Micro Tee	19mm
1542872	ENKi Micro Tee	25mm



Reducing Tees

Code	Description	Size
1542866	ENKi Micro Reducing Tee	19mm x 13mm
1542867	ENKi Micro Reducing Tee	25mm x 13mm
1542868	ENKi Micro Reducing Tee	25mm x 19mm



Threaded Tees – Female

Code	Description	Size
1542869	ENKi Micro Tee	19mm x 15mm FI
1542873	ENKi Micro Tee	25mm x 15mm FI



Threaded Tees – Male

Code	Description	Size
1542827	ENKi Micro Tee	13mm x 15mm MI
1542870	ENKi Micro Tee	19mm x 15mm MI
1542871	ENKi Micro Tee	19mm x 20mm MI
1542874	ENKi Micro Tee	25mm x 15mm MI
1542875	ENKi Micro Tee	25mm x 20mm MI

ENKi Micro Irrigation Fittings

CONTINUED



Barb Elbows

Code	Description	Size
1542830	ENKi Micro Elbow	13mm
1542831	ENKi Micro Elbow	19mm
1542852	ENKi Micro Elbow	25mm



Threaded Elbows – Female

Code	Description	Size
1542856	ENKi Micro Elbow	13mm x 15mm FI
1542857	ENKi Micro Elbow	19mm x 15mm FI
1542858	ENKi Micro Elbow	25mm x 15mm FI



Threaded Elbows – Male

Code	Description	Size
1542832	ENKi Micro Elbow	13mm x 15mm MI
1542833	ENKi Micro Elbow	19mm x 15mm MI
1542853	ENKi Micro Elbow	19mm x 20mm MI
1542854	ENKi Micro Elbow	25mm x 15mm MI
1542855	ENKi Micro Elbow	25mm x 20mm MI



End Plugs

Code	Description	Size
1542834	ENKi Micro End Plug	13mm
1542859	ENKi Micro End Plug	19mm
1542860	ENKi Micro End Plug	25mm



Ratchet Clips

Code	Description	Size
1542836	ENKi Micro Ratchet Clip Suits LDPE	13mm
1542837	ENKi Micro Ratchet Clip Suits LDPE	19mm
1542862	ENKi Micro Ratchet Clip Suits LDPE	25mm



Directors – Male

Code	Description	Size
1542845	ENKi Micro Director	13mm x 15mm MI
1542846	ENKi Micro Director	13mm x 20mm MI
1542847	ENKi Micro Director	13mm x 25mm MI
1542835	ENKi Micro Director	19mm x 15mm MI
1542848	ENKi Micro Director	19mm x 20mm MI
1542849	ENKi Micro Director	19mm x 25mm MI
1542850	ENKi Micro Director	25mm x 20mm MI
1542851	ENKi Micro Director	25mm x 25mm MI



Micro Start Connector

Code	Description	Size
1542898	ENKi Micro Start Connector	10mm x 13mm
1542899	ENKi Micro Start Connector Elbow	10mm x 13mm



Rounded Steel Pin

Code	Description	Size
1525448	ENKi Rounded Steel Pin	150mm x 30mm



ENKI

25

25

19

19

ENKI

ENKI

25

25

25

ENKI

Reece. Works for you.™

Call **1800 032 566** or visit www.reece.com.au/irrigation for your nearest Reece store.
Due to limitations in the printing process the colours in this brochure are a guide only.
V9 [BROCHURE CODE 2130135]

