
SUSSEX

SCALA HORIZONTAL PULL OUT SINK MIXER 2F



Domestic, hotel, commercial
Recommended water pressure: Min 300 kPa - Max 500 kPa.
Water pressure is not to exceed 750 kPa.
Min 1° - Max 55°
Storage tank: Yes
Continuous flow: Yes
Gravity fed: Not recommended
Brass
Chrome
Stars: 5
Flow rate: 6 L/Min
AS/NZS 3718



To see the complete Sussex range go to www.reece.com.au/bathrooms

CLEANING RECOMMENDATIONS

We recommend the use of soapy water or approved cleaners.

This product should not be cleaned with abrasive materials.

Tech Page Version 2

Damage caused by improper treatment is not covered by the product warranty - refer to warranty conditions.










SUSSEX **SCALA HORIZONTAL PULL OUT SINK MIXER 2F**

INSTALLATION INSTRUCTIONS



Tapware is to be installed by a Licensed Plumber in accordance with AS/NZL 3500

PLUMBER NOTE

- On-site testing using higher water pressures must be conducted with the Mixer in the closed position. (STATIC TEST)
- Under no circumstances is the Mixer to be opened when exceeding the maximum stated water pressure.
- At the completion of testing, do not relieve any high water pressure by opening the Mixer.
- Exposing the internals of the Mixer Cartridge to higher than specified water pressures will void the manufacturer's warranty.

INSTALLATION GUIDELINES

- 60mm Clearance is required at rear of mixer.
- Ensure a 35 38mm clearance hole is provided through the mounting surface.
- Ensure adequate cupboard space has been provided to allow the Pull-out hose to move freely.
- Prior to installing the mixer, remove the Clamp and Fixing Nut from the mixer assembly and the weights from the hose.
- Pass the Pull-out Hose through the mounting surface hole lowering the Mixer onto the mounting surface.
- Working from underneath, fit the Clamp and Fixing
 Nut
- Gently bend the Flexible Tail Extensions away from the Thread Bar and Pull-out Hose.
- Use the provided Tube Spanner to tighten and secure the Mixer.
- Attach the DCV Assembly to the Thread Bar. (NOTE: Arrow Direction)
- DCV has O-ring seals.
- Connect the Pull-out Hose to the DCV Assembly use an 11mm spanner to tighten well.
- Re-attach the Weights to the Hose, ensure the Rubber stop is between the Clamp and the Weights.
- The maximum recommended length of Nozzle pull-out is approximately 400mm.
- Connect the provided Hot and Cold Flexible hoses to the Mixer.
- Connect the Hot and Cold Flexible hoses to the corresponding 1/2"BSP water feed lines.
- The 1/2" connection of the Flexible hoses have a conical seal, ensure the mating threads are cut square and burr free.
- Isolating stop valves are recommended with all installations. (Not supplied)
- Ensure all fittings and connections are watertight.
- Check Mixer functions correctly with a smooth action.
- Ensure the Pull-out Hose operates freely with minimal contact to other parts.



